

☆☆☆ 204 Series ☆☆☆

P/N: H204S**000

Material: Nylon 6/6, UL 94V-2, White

Available: 2~15P

Mate with T204



Current Rating: 2A AC,DC

Voltage Rating: 125V AC,DC

Contact Resistance: 20mΩ Max.

Insulation Resistance: 1000mΩ Min.

Withstanding Voltage: 800V AC/minute



REVISIONS			
REV	DESCRIPTION	DATE	DRAWN
A			

Circuitis	Dim. A	Dim. B
2	2.00	6.10
3	4.00	8.10
4	6.00	10.10
5	8.00	12.10
6	10.00	14.10
7	12.00	16.10
8	14.00	18.10
9	16.00	20.10
10	18.00	22.10
11	20.00	24.10
12	22.00	26.10
13	24.00	28.10
14	26.00	30.10
15	28.00	32.10

RoHS Compliant



TEL: 886-2-86871898 FAX: 886-2-86872959
 Mail: tceldh@gmail.com Web: http://www.cnj.tw/

TITLE

.079"(2.0mm) Wire to Board Housing

DIMENSION TOLERANCE

.x ±0.30 x° ±2°
 .xx ±0.20
 .xxx ±0.10


P/N	H204S**000	CHECKED	David	UNIT	mm	DATE	2010/08/03
DRAWN	Michael	APPROVED	Lily	SCALE	1:1	REV	A

☆☆☆ 204 Series ☆☆☆


P/N: T204P00T00

Conductor: Phosphor Bronze/ Tin-Plated


Thickness: 0.15mm





Section A-A



Section B-B



Section C-C



REVISIONS			
REV	DESCRIPTION	DATE	DRAWN
A			

RoHS Compliant



TEL: 886-2-86871898 FAX: 886-2-86872959
Mail: tceldh@gmail.com Web: http://www.cnj.tw/

TITLE

.079"(2.0mm) Crimp Terminal

DIMENSION TOLERANCE



.x ±0.30 x° ±2°
.xx ±0.20
.xxx ±0.10

P/N	T204H00T00	CHECKED	David	UNIT	mm	DATE	2010/08/04
DRAWN	Michael	APPROVED	Lily	SCALE	1:1	REV	A

A B C D E F



☆☆☆ 204 Series ☆☆☆

P/N: W204V**T00
 Material: Nylon 6/6, UL 94V-0
 Conductor: Brass, Tin-Plated
 Available: 2~15P
 Current Rating: 2A AC,DC
 Voltage Rating: 125V AC,DC
 Contact Resistance: 20mΩ Max.
 Insulation Resistance: 1000mΩ Min.
 Withstanding Voltage: 800V AC/minute



RECOMMENDED P.C.BOARD HOLE DIMM.

Circuitis	Dim. A	Dim. B
2	2.00	6.00
3	4.00	8.00
4	6.00	10.00
5	8.00	12.00
6	10.00	14.00
7	12.00	16.00
8	14.00	18.00
9	16.00	20.00
10	18.00	22.00
11	20.00	24.00
12	22.00	26.00
13	24.00	28.00
14	26.00	30.00
15	28.00	32.00



RoHS Compliant



TITLE

.079"(2.0mm) MX Vertical Low Profile Wafer

DIMENSION TOLERANCE

.x ±0.30 x° ±2°
 .xx ±0.20
 .xxx ±0.10

TEL: 886-2-86871898 FAX: 886-2-86872959
 Mail: tceldh@gmail.com Web: http://www.cnj.tw/

P/N	W204V**T00	CHECKED	David	UNIT	mm	DATE	2012/02/10
DRAWN	Michael	APPROVED	Lily	SCALE	1:1	REV	A

A B C D E F